

Designed by Komplot Design

## PRODUCT



Item no.: 21001-1F-01  
+ style code

## DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

## VERSION - HIREK (PP PLASTIC MATERIAL)

RAL codes are indicative.

- Black // RAL 9005, silkmatt /
- Venetian Gold // RAL 080 7050 , silkmatt /
- Mistletoe Green // RAL 130 5010, silkmatt /
- Nightfall Blue // RAL 200 7005, silkmatt /
- Rainy Gray // RAL 7031, silkmatt /
- White Cloud // RAL 9001, silkmatt /
- Moon Gray // RAL 085 7010, silkmatt /
- Shy Cherry // RAL 3011, silkmatt /

- Black painted base // RAL 9005, gloss level 10-15
- Chrome base // Mirror chrome

## CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

**GUBI 1F, GUBI 12F, GUBI 13F**

## COLOURS



// Black



// Rainy Gray



// Mistletoe Green



// Moon Gray



// Nightfall Blue



// Shy Cherry



// White Cloud



// Venetian Gold

## FACTS

### MEASUREMENT - L X W X H MM

Sitting height: 450 mm  
Seat width: 493 mm  
Seat depth: 544 mm  
Seat height: 483 mm  
Back height: 373 mm  
Frame width: 576 mm  
Frame depth: 499 mm  
Chair height: 830 mm  
Shell thickness: 5 mm  
Frame thickness: Ø11 mm

### WEIGHT ITEM

4,95 kg

### PACKAGING TYPE

Cardboard box

### PACKAGING MEASUREMENT - L X W X H CM

L:59 X W:55 X H:84 CM

### WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 2192 g
- Cardboard extra bottom: 408 g
- Polybag PE: 200 g
- LD-EPE foam protector: 100 g
- Strapping: 10 g

### WEIGHT PACKAGING - TOTAL

2,9 kg

### NUMBER OF PARCELS

1 pcs.

- Defective frame and shells can be replaced.

Designed by Komplot Design

**PRODUCT**



**COLOURS**



Item no.: 21001-12F-XX  
+ style code

**DESCRIPTION**

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

**VERSION - HIREK (PP PLASTIC MATERIAL) - FRONT UPHOLSTERED**

RAL codes are indicative.

- Black // RAL 9005, silk matt /
- Venetian Gold // RAL 080 7050 , silk matt /
- Mistletoe Green // RAL 130 5010, silk matt /
- Nightfall Blue // RAL 200 7005, silk matt /
- Rainy Gray // RAL 7031, silk matt /
- White Cloud // RAL 9001, silk matt /
- Moon Gray // RAL 085 7010, silk matt /
- Shy Cherry // RAL 3011, silk matt /

- Black painted base // RAL 9005, gloss level 10-15
- Chrome base // Mirror chrome

**CHAIR VERSION**

Order item - look for part number in the pricelist.

The series consists of the following:

**GUBI 1F, GUBI 12F, GUBI 13F**

**FACTS**

**MEASUREMENT - L X W X H MM**

- Sitting height: 460 mm
- Seat width: 509 mm
- Seat depth: 550 mm
- Seat height: 493 mm
- Back height: 380 mm
- Frame width: 576 mm
- Frame depth: 499 mm
- Chair height: 815 mm
- Shell thickness: 5 mm
- Frame thickness: Ø11 mm
- Front upholstered: 10 mm

**WEIGHT ITEM**

7,400 kg

**PACKAGING TYPE**

Cardboard box

**PACKAGING MEASUREMENT - L X W X H CM**

L:59 X W:55 X H:84 CM

**WEIGHT PACKAGING - MATERIAL TYPE**

- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 2192 g
- Cardboard extra bottom: 408 g
- Polybag PE: 200 g
- LD-EPE foam protector: 100 g
- Strapping: 10 g

**WEIGHT PACKAGING - TOTAL**

10,315 kg

**NUMBER OF PARCELS**


1 pcs.

## ACCESSORIES

---

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE, CHAIR SUSPENSION FOR TABLES.



## UPHOLSTERING - W X L

- Fabric (1pcs) : 140 cm x 1,03 m
- Fabric (2pcs) : 140 cm x 0,8 m
- Leather: 1,24 m<sup>2</sup>

## CLEANING AND MAINTENANCE

---

For cleaning the upholstered surface, first try to brush off the dirt gently. If this is not enough then vacuum the surface.

If further cleaning of the padding is needed, a stain remover is recommended. The cleaning has to be gentle and must always be tested on the most invisible area of the surface before the actual cleaning. Avoid blotches by gentle, circular rubbing towards the stain.

To avoid stains, quickly remove the dirt with a piece of absorbing household wipe and clean with water and colourless washing-up liquid.

Do not use the following products for the padding:

- Undiluted cleaning liquids.
- Bleach.
- Ammoniac.
- Soap for hard surfaces.

For dusting and light cleaning of the plastic surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

## ENVIRONMENT

---

Parts can be separated and sorted for recycling.

Disposal of plastic type PP may be done with incineration of waste.

## TESTS

---

Foam is fire retardant according to California Technical Bulletin 117.

Foam according to BS 5852, Crib 5, is available on request