

AJ Royal

The pendant comes in three sizes and is characterised by the ridges on top that allow a gentle light to exude upwards. The new, energy-saving LED version all three sizes come with a diffuser, which offers a smoother, 100% glare-free lighting.



Product info

Information

The white version is supplied with a white cable and the black version is supplied with a black cable. Compatible with leading and trailing edge mains dimmers. Please note that low power consumption on some products can affect dimming properties.

Mounting

Suspension type: Cable 2x0,75mm². Canopy: Yes. Cable length: 4m.

Finish

White or black, wet painted.

Materials

Shades: Spun aluminium. Rings: Steel. Diffusor: Frosted acrylic

Sizes and weights

Width x Height x Length (mm) | 370 x 181 x 370 Max 4.0 kg | 500 x 225 x 500 Max 5.8 kg | 250 x 115 x 250 Max 2.4 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Light source

LED 2700K 8W
Lumen: 508

Information

The white version is supplied with a white cable and the black version is supplied with a black cable. Compatible with leading and trailing edge mains dimmers. Please note that low power consumption on some products can affect dimming properties.




Product family




AJ Mini Table



AJ Table



AJ Floor





AJ Wall



AJ 50 Wall

Product variants

Dimension	Colour	Cable type	Light source	Lumen	Lighting control
Ø 250	 Black	BLK TEX	LED 2700K 16W	1100	Dali
Ø 370	 White	WHT TEX	LED 2700K 30W	1125	Phase dimming (mains dimm)
Ø 500			LED 2700K 8W	1898	
			LED 3000K 16W	1955	
			LED 3000K 30W	2242	
			LED 3000K 8W	2309	
				508	
				528	
				597	
				610	
				930	
				951	

Design

Arne Jacobsen

Weight

Min: 2.383 kg Max: 5.813 kg

Dimensions


Ø 250, Ø 370, Ø 500

Finish


Black, White

Light distribution diagrams

Cartesian



Isolux



Polar

