MOUSQUETON PORTABLE LAMP

PRODUCT FACT SHEET



MOUSQUETON PORTABLE LAMP

DESIGN BY INGA SEMPÉ, 2023


Named after the French word for carabiner, Inga Sempé's Mousqueton Portable Lamp is an outdoor LED lamp that presents a functional lighting solution with a familiar yet contemporary aesthetic. Technical details are integrated into the design as decorative elements, including a multipurpose carabiner hook that enables users to suspend the lamp over a branch or rope and a central hole that leaves space for a stick to balance the lamp body when out in nature.

Featuring a rechargeable battery for easy and spontaneous placement, the lamp's weather-proof body is made from stainless steel and a zinc alloy with a choice of coloured shades, making it ideal for both inside and outside use.

HIGHLIGHTS

- \cdot Part of a progressive and technologically advanced lighting collection.
- · A colourful, portable and robust LED-based lamp that can be used freestanding in a number of different environments and applications.
- $\cdot\,\text{CE}$ and ETL approved for both EU and US markets.
- Integrated LED light source ensuring a life span of at least 25,000 hours of use.
- Integrated touch step dimmer switch with three standard settings inside of the shade.
- \cdot Minimum 10 hours of use before the battery requires recharging via USB-C.
- · Qualified for contract use.
- · IP44 outdoor rated.
- · Suitable for both indoor and outdoor environments.

DIMENSIONS



DIAMETER Ø19,5 CM | 7.75" HEIGHT 30,5 CM | 12"


MATERIALS

LAMP BASE LAM Die-cast zinc-alloy and stainless steel tubes. Spur

LAMP SHADE Spun steel. CORD PVC micro USB-C cable (100 cm). LAMP HOUSING Injection moulded ABS.

OPTIONS

A USB charging station able to charge 24 Mousqueton Portable Lamps simultaneously. Designed for settings where multiple Mousqueton Portable Lamps are used on a regular basis.



COLOUR & FINISH

Please note that the colour codes are indicative.




TECHNICAL SPECIFICATIONS

LIGHT SOURCE	DIMMABLE	POWER SUPPLY	IP	SWITCH
Integrated LED, 3W, 157lm, 2550K warm white	Yes	220-240V AC at 50/60Hz	44	Touch step dimmer. (Integrated inside of the shade)

TEST SPECIFICATION OUTPUT*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)		
157lm	2550K, warm white	>80		
*Photometrics and the specification shown is taken using the integrated LED bulb fitted in the production luminaire.				

PHOTOMETRICS



CERTIFICATES CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including: • EN 61547:2009 (EMC immunity requirements (EMC))

- ·EN 61347-1:2015/A1:2021 (General and safety requirements for lamp controlgear (LVD))
- · EN 61347-2-11:2001/A1:2019 (Particular requirements for misc. electronic circuits used with luminaires (LVD))
- · EN 61000-3-3:2013+A2:2021 (Limits for harmonic current emissions (EMC))
- · EN 60598-2-4:2018 (Particular requirements for portable general purpose luminaires (LVD))
- · EN IEC 55015:2019+A11:2020 (Radio disturbance (EMC))
- · EN IEC 60598-1:2021+A11:2022 (General requirements and tests for luminaires (LVD))
- · EN IEC 61000-3-2:2019+A1:2021 (Limits for harmonic current emissions (EMC))
- · EN IEC 62031:2020/A11:2021 (Safety specifications for LED modules for general lighting (LVD))
- · EN 62493:2015 (Assessment of lighting equipment related to human exposure to electromagnetic field (LVD))

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

LINK TO DIGITAL LIBRARY