

# PAPER CUBE LAMP COLLECTION

PRODUCT FACT SHEET



**HAY**

## PAPER CUBE LAMP COLLECTION


DESIGN BY BERTJAN POT, 2022

Designed by Bertjan Pot, Paper Cube is a series of elegant and functional cubed lamps. Inspired by the mechanics of constructing folded paper ornaments, Paper Cube has a flat-pack design that is easy to assemble. Constructed from a strong Japanese paper material, made from recycled PET bottles, and with FSC-certified beech legs, the translucent shade has a closed volume that creates a soft ambient glow. Available in table and floor lamp versions with a cord and bulb socket, the lamps use a standard retrofit bulb and do not come supplied with a bulb. Paper Cube's clean design and warm, atmospheric light make it suitable for a variety of rooms at home, as well as restaurants, cafés and other public spaces.


### HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- Elegant and functional cubed lamps with origami-inspired design.
- The collection includes a table and a floor lamp.
- Paper Cube has a flat-pack design that is easy to assemble.
- Shade made of recycled PET bottles, with legs in FSC-certified beech.
- Designed for use with a replaceable standard retro fit LED bulb.
- Qualified for contract use.

### DIMENSIONS



PAPER CUBE TABLE LAMP  
WIDTH 23 CM | 9.06"  
DEPTH 23 CM | 9.06"  
HEIGHT 30,5 CM | 12.01"



PAPER CUBE FLOOR LAMP  
WIDTH 36 CM | 14.17"  
DEPTH 36 CM | 14.17"  
HEIGHT 74 CM | 29.13"

### MATERIALS

#### SHADE

ECOPET®, recycled PET bottles, 140g/sqm.

#### BASE

Varnished beech with TPE rubber feet.

#### CORD

Transparent PVC cable.

### COLOUR & FINISH

Please note that the colour code is indicative.



PAPER



VARNISHED BEECH



CORAL RED  
RUBBER FEET  
RAL 3016

## PAPER CUBE TABLE LAMP

### TECHNICAL SPECIFICATIONS

#### RECOMMENDED LIGHT SOURCE\*

LED E14 (A15) (EU) | LED E12 (US, included), 5-8W (max. 8W), 500-800lm, 2700-3000K warm white

#### DIMMABLE

No

#### POWER SUPPLY

220-240V AC at 50/60Hz

#### IP

20

#### CORD LENGTH

200 cm

#### SWITCH

Transparent switch

\*Bulb not included.

### TEST SPECIFICATION OUTPUTS\*

#### FLUX (LUMENS)

391lm

#### CCT (KELVIN)


2700K, warm white

#### CRI (1-100)

80

\*Photometrics and the test specification shown is taken using the recommended LED bulb fitted in the production luminaire.

### PHOTOMETRICS



### CERTIFICATES

#### CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

### COUNTRY OF ORIGIN

China

### DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)

## PAPER CUBE FLOOR LAMP

### TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
LED E27 (A19) (EU)   LED E26 (US, included), 10-13W (max. 15W), 1000-1500lm, 2700K warm white	No	220-240V AC at 50/60Hz	20	250 cm	Transparent floor on/off switch


\*Bulb not included.

### TEST SPECIFICATION OUTPUTS\*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
570lm	2700K, warm white	80

\*Photometrics and the test specification shown is taken using the recommended LED bulb fitted in the production luminaire.

### PHOTOMETRICS



### CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

### COUNTRY OF ORIGIN

China

### DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)