

SOFT EDGE 55 SLED

PRODUCT FACT SHEET



SOFT EDGE 55 SLED


DESIGN BY ISKOS-BERLIN, 2020

Iskos-Berlin's Soft Edge series features an organically shaped seat and back, blending strong curves with extreme lightness to create a minimalistic design that optimises human-centric comfort. With its plastic (PP) seat and back in a wide range of colours and steel-sled base, Soft Edge 55 Sled offers both uncluttered aesthetics, stability, and functionality. Its strength, stackability, and ability to link multiple chairs together make it ideal for using in private, public, and contract environments – from homes to corporate spaces and cafés. Also available with upholstered seat.


HIGHLIGHTS

- Part of a family of dining chairs, bar stools, lounge chairs and stools with steel base or solid oak legs or polypropylene seat and back with steel base.
- Offers an ergonomic seating solution due to its increased level of back support.
- Polypropylene (PP) seat and back available in a wide range of colours, and powder coated or chromed steel base.
- Available with seat upholstery in selected fabrics and leathers.
- Available with linking gliders.
- Stackable on floor up to 10 pcs. without upholstery | 6 pcs. with upholstery.
- Stackable on trolley up to 20 pcs. without upholstery | 6 pcs. with upholstery.
- Suitable for a wide variety of private and public environments.
- Qualified for contract use.

DIMENSIONS



SOFT EDGE 55 SLED
WIDTH 50,5 CM | 19.9"
DEPTH 52,5 CM | 20.7"
HEIGHT 79 CM | 31.1"
SEAT HEIGHT 47,5 CM | 18.7"
SEAT DEPTH 44 CM | 17.3"



SOFT EDGE 55 SLED | SEAT UPHOLSTERY
WIDTH 50,5 CM | 19.9"
DEPTH 52,5 CM | 20.7"
HEIGHT 79 CM | 31.1"
SEAT HEIGHT 47,5 CM | 18.7"
SEAT DEPTH 44 CM | 17.3"

MATERIALS

SEAT & BACK

Injection moulded solid coloured polypropylene.
Thickness 6mm. Matt slightly textured surface.

SEAT W. UPHOLSTERY

10 mm PU foam.

BASE

Ø16 mm steel tube.

GLIDER

Plastic. Standard on all variants. Suitable for all floorings that are not too sensitive.

OPTIONS

Felt gliders for wooden floors

Linking gliders

CMHR foam (fire retardant)


CONSTRUCTION

Polypropylene seat and back mounted to the frame with rivets. Stacking pad in polypropylene mounted underneath the seat.

COUNTRY OF ORIGIN


Denmark

ACCESSORIES



LINKING GLIDERS

Black plastic with or without felt. Set of 4. Linking gliders are premounted on linking glider variant and optional on standard sled variants.



SOFT EDGE CHAIR TROLLEY


Black powder coated steel. Rear wheels with brake. Suitable for transportation and storage.

TROLLEY CAPACITY

Soft Edge 55 Sled max. 20 pcs.

Soft Edge 55 Sled w. upholstery Max. 6 pcs.

[LINK TO CHAIR TROLLEY PRESENTATION](#)














HANG UP BRACKET FOR SOFT EDGE

Black plastic. Please note, the hang up bracket is not premounted to the frame. The hang up bracket is not available for upholstered versions.

[LINK TO HANG UP BRACKET OVERVIEW](#)

COLOUR & FINISH

Please note that the colour codes are indicative.

	BASE	BLACK POWDER COATED STEEL	SOFT GREY POWDER COATED STEEL	FALL RED POWDER COATED STEEL	WHITE POWDER COATED STEEL	CHROMED STEEL
		 RAL 9005	 NCS 3500N	 NCS 6030-R	 RAL 9003	
SEAT & BACK						
BLACK POLYPROPYLENE RAL 9005		•				•
SOFT GREY POLYPROPYLENE NCS S 3500 N		•	•			•
FALL RED POLYPROPYLENE NCS S 6030 R		•		•		•
DUSTY GREEN POLYPROPYLENE NCS S 6005 G20Y		•				•
WHITE POLYPROPYLENE RAL 9003					•	•
HUNTER POLYPROPYLENE NCS S 8010 B90G		•				•

FABRIC & LEATHER UPHOLSTERY

Please see our Fabric Overview for approved standard fabrics.

[LINK TO OVERVIEW](#)

SUSTAINABILITY

HAY focuses on developing long-lasting products that minimise our environmental impact. We optimise the use of sustainable materials such as recycled materials, FSC-certified wood and water-based lacquer, with a growing number of eco-certified products. We have strict regulatory requirements, and the majority of our products are tested to comply with international standards for strength, durability and safety.

[LINK TO ENVIRONMENTAL PROFILE](#)

CERTIFICATES



INDOOR ADVANTAGE™ GOLD

Supports a healthy indoor environment.

Confirms to ANSI/BIFMA standards.

TESTS

EN 16139:2013

Furniture - Strength, durability and safety -
Requirements for non-domestic seating.

L2: Extreme use - Loading according to
Test severity L2.

ANSI BIFMA X5.4-2012

American National Standard For Office
Furnishings - Lounge and Public Seating

- Tests.

CARE & MAINTENANCE

Our Care & Maintenance offers guidance for optimal maintenance of your HAY product. It includes advice and instructions on cleaning and caring for specific materials to prolong the life of your furniture. Find the guide at hay.com.

[LINK TO CARE & MAINTENANCE](#)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO DIGITAL LIBRARY](#)